

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 1 of 11

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Sulfuric Acid .12N**

Other means of identification : CR-0009

Recommended use of the chemical and restrictions on use

: Use as directed by manufacturer for purposes directly related to water testing.  
Recommended restrictions: None known.

Chemical family : Mixture

Name, address, and telephone number of the supplier:

**Lowry & Associates, Div. of Chem-Aquascience, Inc.**

5-1151 Gorham Street  
Newmarket, ON, Canada  
L3Y 8Y1

Supplier's Telephone # : (905) 836-0505, Hours 09:00 to 16:30

24 Hr. Emergency Tel # : Not available.

Name, address, and telephone number of the manufacturer:

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear to cloudy liquid. Odorless.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Corrosive to Metals - Category 1

Eye damage/irritation: Category 1

Skin corrosion/irritation: Category 1

Specific target organ toxicity, single exposure - Category 3 respiratory tract irritation

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 2 of 11

## SAFETY DATA SHEET

### Precautionary statement(s)

Wash thoroughly after handling.  
Keep only in original container.  
Do not breathe mist or vapor.  
Wash skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/clothing and eye/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a POISON CENTER or doctor/physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
Absorb spillage to prevent material damage.

Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.  
Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local regulation.

### Other hazards

Other hazards which do not result in classification:

Ingestion may cause severe irritation to the mouth, throat and stomach. Contact with metals may release small amounts of flammable hydrogen gas. Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. Prolonged or repeated inhalation of fumes or vapours, may cause chronic lung effects, such as bronchitis, and tooth enamel erosion. Chronic skin contact with low concentrations may cause dermatitis.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| <u>Chemical name</u> | <u>Common name and synonyms</u>      | <u>CAS #</u> | <u>Concentration (% by weight)</u> |
|----------------------|--------------------------------------|--------------|------------------------------------|
| Sulfuric acid        | Dihydrogen sulfate<br>Oil of vitriol | 7664-93-9    | 0.1 - 1.0                          |
| Water                | H <sub>2</sub> O                     | 7732-18-5    | 80.0 - 100.0                       |

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Seek immediate medical attention/advice. Never give anything by mouth if victim is unconscious.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Take off all contaminated clothing immediately. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Cover wound with sterile dressing. Seek immediate medical attention/advice. Wash contaminated clothing before reuse. Leather and shoes that have been contaminated with the solution may need to be destroyed.
- Eye contact* : Immediately flush eyes with running water for at least 20 minutes. Protect unharmed eye. Seek immediate medical attention/advice.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 3 of 11

## SAFETY DATA SHEET

### Most important symptoms and effects, both acute and delayed

- : May cause serious eye irritation or damage. Symptoms may include redness, pain, tearing and conjunctivitis. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring. May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death. May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Prolonged or repeated inhalation of fumes or vapours, may cause chronic lung effects, such as bronchitis, and tooth enamel erosion.

### Indication of any immediate medical attention and special treatment needed

- : Immediate medical attention is required. Causes burns. Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water with caution. Contact with water will generate considerable heat.

#### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Not considered flammable. Burning produces obnoxious and toxic fumes. Contact with metals may release small amounts of flammable hydrogen gas. Reacts violently with a wide variety of organic and inorganic chemicals including alcohol, carbides, chlorates, picrates, nitrates and metals. Contact with water will generate considerable heat.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Non-flammable.

### Hazardous combustion products

- : Sulphur oxides. Carbon dioxide and carbon monoxide. Oxygen.

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### *Special fire-fighting procedures*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Dike for water control. Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

### Environmental precautions

- : Do not allow material to contaminate ground water system. For large spills, dike the area to prevent spreading.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 4 of 11

## SAFETY DATA SHEET

### Methods and material for containment and cleaning up

- : Remove all sources of ignition. Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Neutralize with sodium bicarbonate or a mixture of soda ash/slaked lime. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

### Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
US CERCLA Reportable quantity (RQ): Sulfuric acid (1000 lbs / 454 kg)

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

- : Use in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. See Section 8 for additional personal protection advice when handling this product. Do not ingest. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Keep away from bases, metals and other incompatibles. Keep container tightly closed when not in use. Keep only in original container. Wash thoroughly after handling. During preparation or dilution, always add liquid slowly to water and with constant stirring.

### Conditions for safe storage

- : Store in a cool, dry, well-ventilated area. Store locked up. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Store in corrosion-resistant containers. Keep only in original container.

### Incompatible materials

- : Strong oxidizing agents; Metals (e.g. Aluminum, brass, copper); Alkalies; Aldehydes ; Reducing agents; Water; Organic materials; Acids Chlorate .

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| <u>Exposure Limits:</u> |   |             |                     |             |
|-------------------------|---|-------------|---------------------|-------------|
| <u>Chemical Name</u>    | <u>ACGIH TLV</u>                          |             | <u>OSHA PEL</u>     |             |
|                         | <u>TWA</u>                                | <u>STEL</u> | <u>PEL</u>          | <u>STEL</u> |
| Sulfuric acid           | 0.2 mg/m <sup>3</sup> (thoracic fraction) | N/Av        | 1 mg/m <sup>3</sup> | N/Av        |
| Water                   | N/Av                                      | N/Av        | N/Av                | N/Av        |

### Exposure controls

#### Ventilation and engineering measures

- : Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

#### Respiratory protection

- : If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of which type of respirator is most suitable for the intended application should be obtained from respiratory protection suppliers. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

#### Skin protection

- : Wear chemically protective gloves (impervious), boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear impervious gloves, such as butyl rubber. Unsuitable material: polyvinyl alcohol. Advice should be sought from glove suppliers.

#### Eye / face protection

- : Chemical splash goggles must be worn when handling this material. A full face shield may also be necessary.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 5 of 11

## SAFETY DATA SHEET

**Other protective equipment** : Other equipment may be required depending on workplace standards. An eyewash station and safety shower should be made available in the immediate working area.

**General hygiene considerations**

: Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing home.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Clear colourless liquid.

**Odour** : Odorless.

**Odour threshold** : N/Av

**pH** : 1.3

**Melting Point/Freezing point** : Not available.

**Initial boiling point and boiling range**

: 100°C (212°F)

**Flash point** : Not applicable.

**Flashpoint (Method)** : Not applicable.

**Evaporation rate (BuAe = 1)** : Not available.

**Flammability (solid, gas)** : Not applicable.

**Lower flammable limit (% by vol.)**

: Not applicable.

**Upper flammable limit (% by vol.)**

: Not applicable.

**Oxidizing properties** : None known.

**Explosive properties** : Not explosive

**Vapour pressure** : 17 mm Hg

**Vapour density** : 0.6

**Relative density / Specific gravity**

: 1.00

**Solubility in water** : Soluble

**Other solubility(ies)** : None known.

**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**

: N/Av

**Auto-ignition temperature** : N/Av

**Decomposition temperature** : Not available.

**Viscosity** : N/Av

**Volatiles (% by weight)** : Not available.

**Volatile organic Compounds (VOC's)**

: Not available.

**Absolute pressure of container**

: N/Av

**Flame projection length** : N/Av

**Other physical/chemical comments**

: None.

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Not normally reactive. May be corrosive to metals.

**Chemical stability** : Stable under the recommended storage and handling conditions prescribed.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 6 of 11

## SAFETY DATA SHEET

### Possibility of hazardous reactions

- : Hazardous polymerization does not occur. Contact with metals may release small amounts of flammable hydrogen gas.

### Conditions to avoid

- : Avoid heat and open flame. Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials.

### Incompatible materials

- : See Section 7 (Handling and Storage) for further details.

### Hazardous decomposition products

- : Decomposes at 340 deg C into sulfur trioxide and water.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption

: NO

### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

##### *Sign and symptoms Inhalation*

- : May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

##### *Sign and symptoms ingestion*

- : May be harmful if swallowed. May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.

##### *Sign and symptoms skin*

- : This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification: Skin corrosion/irritation: Category 1 Causes severe skin burns and eye damage. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring.

##### *Sign and symptoms eyes*

- : This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification: Eye damage/irritation: Category 1 Causes serious eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. Contact may lead to permanent injury and blindness.

#### Potential Chronic Health Effects

- : Chronic skin contact with low concentrations may cause dermatitis. Prolonged or repeated inhalation of fumes or vapours, may cause chronic lung effects, such as bronchitis, and tooth enamel erosion.

#### Mutagenicity

- : Not expected to be mutagenic in humans.

#### Carcinogenicity

- : This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Strong inorganic acid mist containing sulfuric acid is classified as a Group 1 Human Carcinogen by the IARC. However, this classification does not apply to liquid forms of sulfuric acid.

#### Reproductive effects & Teratogenicity

- : Not expected to cause reproductive effects.

#### Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 7 of 11

## SAFETY DATA SHEET

**Specific target organ effects** : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific target organ toxicity, single exposure - Category 3 (respiratory) May cause respiratory irritation.

Not classified as specific target organ toxicity-repeated exposure.

**Medical conditions aggravated by overexposure**

: Pre-existing skin, eye and respiratory disorders.

**Synergistic materials**

: Not available.

**Toxicological data**

: See below for toxicological data on the substance.

| <u>Chemical name</u> | <u>LC<sub>50</sub>(4hr)</u><br><u>inh, rat</u> | <u>LD<sub>50</sub></u> |                         |
|----------------------|--|------------------------|-------------------------|
|                      |  | <u>(Oral, rat)</u>     | <u>(Rabbit, dermal)</u> |
| Sulfuric acid        | 0.375 mg/L (mist)                              | 2140 mg/kg             | N/Av                    |
| Water                | N/Av   | >90 mL/kg              | N/Av                    |

**Other important toxicological hazards**

: None known or reported by the manufacturer.

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

**Ecotoxicity data:**

| <u>Ingredients</u> | <u>CAS #</u> | <u>Toxicity to Fish</u>         |                           |                 |
|--------------------|--------------|---------------------------------|---------------------------|-----------------|
|                    |              | <u>LC50 / 96h</u>               | <u>NOEC / 21 day</u>      | <u>M Factor</u> |
| Sulfuric acid      | 7664-93-9    | 16 - 28 mg/L (Bluegill sunfish) | N/Av                      | None.           |
| Water              | 7732-18-5    | No information available.       | No information available. | Not applicable. |

| <u>Ingredients</u> | <u>CAS #</u> | <u>Toxicity to Daphnia</u>   |                           |                 |
|--------------------|--------------|------------------------------|---------------------------|-----------------|
|                    |              | <u>EC50 / 48h</u>            | <u>NOEC / 21 day</u>      | <u>M Factor</u> |
| Sulfuric acid      | 7664-93-9    | 29 mg/L/24hr (Daphnia magna) | N/Av                      | None.           |
| Water              | 7732-18-5    | No information available.    | No information available. | Not applicable. |

| <u>Ingredients</u> | <u>CAS #</u> | <u>Toxicity to Algae</u>      |                           |                 |
|--------------------|--------------|-------------------------------|---------------------------|-----------------|
|                    |              | <u>EC50 / 96h or 72h</u>      | <u>NOEC / 96h or 72h</u>  | <u>M Factor</u> |
| Sulfuric acid      | 7664-93-9    | > 100 mg/L/72hr (Green algae) | N/Av                      | None.           |
| Water              | 7732-18-5    | No information available.     | No information available. | Not applicable. |



Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 8 of 11

## SAFETY DATA SHEET

**Persistence and degradability**

: Biodegradation is not applicable to inorganic materials.

**Bioaccumulation potential**

: No data is available on the product itself.

| <u>Components</u>             | <u>Partition coefficient n-octanol/water (log Kow)</u> | <u>Bioconcentration factor (BCF)</u> |
|-------------------------------|--|--------------------------------------|
| Sulfuric acid (CAS 7664-93-9) | N/Ap   | no bioaccumulation                   |
| Water (CAS 7732-18-5)         | N/Ap   | N/Ap                                 |

**Mobility in soil**

: No data is available on the product itself.

**Other Adverse Environmental effects**

: No additional information.

### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal**

: Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.



Sulfuric Acid .12N





CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 9 of 11

## SAFETY DATA SHEET

### SECTION 14. TRANSPORT INFORMATION

| Regulatory Information           | UN Number   | UN proper shipping name                                     | Transport hazard class(es) | Packing Group | Label   |
|----------------------------------|---|---|----------------------------|---------------|---|
| 49CFR/DOT                        | UN3264  | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid) | 8                          | II            |    |
| 49CFR/DOT Additional information | This material may be shipped as a limited quantity according to 49CFR section 173.154.  |   |                            |               |   |
| TDG                              | UN3264  | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.                 | 8                          | II            |    |
| TDG Additional information       | May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. |   |                            |               |   |
| ICAO/IATA                        | UN3264  | Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid) | 8                          | II            |   |
| ICAO/IATA Additional information | Refer to ICAO/IATA Packing Instruction  |   |                            |               |   |
| IMDG                             | UN3264  | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric Acid) | 8                          | II            |  |
| IMDG Additional information      | May be shipped as Limited Quantity when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. |   |                            |               |   |

**Special precautions for user** : Read safety instructions, SDS and emergency procedures before handling.

**Environmental hazards** : See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: Not applicable.

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

| Ingredients   | CAS #     | TSCA Inventory | CERCLA Reportable Quantity(RQ) (40 CFR 117.302): | SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355: | SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical |                          |
|---------------|-----------|----------------|--|--|---|--------------------------|
|               |           |                |  |  | Toxic Chemical  | de minimus Concentration |
| Sulfuric acid | 7664-93-9 | Yes            | 1000 lb/ 454 kg                                  | 1000 lb TPQ  | Yes   | 1%                       |
| Water         | 7732-18-5 | Yes            | N/Ap   | N/Av   | No  | N/Ap                     |

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Physical hazards (Corrosive to metals) Health hazards (Eye Damage ;Skin corrosion). Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 10 of 11

## SAFETY DATA SHEET

### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

| <u>Ingredients</u> | CAS #     | California Proposition 65 |                  | State "Right to Know" Lists |     |     |     |     |     |
|--------------------|-----------|---------------------------|------------------|-----------------------------|-----|-----|-----|-----|-----|
|                    |           | Listed                    | Type of Toxicity | CA                          | MA  | MN  | NJ  | PA  | RI  |
| Sulfuric acid      | 7664-93-9 | No                        | N/Ap             | Yes                         | Yes | Yes | Yes | Yes | Yes |
| Water              | 7732-18-5 | No                        | N/Ap             | No                          | No  | No  | No  | No  | No  |

### Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

### International Information:

Components listed below are present on the following International Inventory list:

| <u>Ingredients</u> | CAS #     | European EINECS | Australia AICS | Philippines PICCS | Japan ENCS       | Korea KECI/KECL | China IECSC | NewZealand IOC                                      |
|--------------------|-----------|-----------------|----------------|-------------------|------------------|-----------------|-------------|---|
| Sulfuric acid      | 7664-93-9 | 231-639-5       | Present        | Present           | (1)-724; (1)-430 | KE-32570        | Present     | HSR001572,<br>HSR001573,<br>HSR001588<br>(dilution) |
| Water              | 7732-18-5 | 231-791-2       | Present        | Listed            | Listed           | KE-35400        | Present     | Listed  |

## SECTION 16. OTHER INFORMATION

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
 CA: California  
 CAS: Chemical Abstract Services  
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
 CFR: Code of Federal Regulations  
 DOT: Department of Transportation  
 EPA: Environmental Protection Agency  
 HMIS: Hazardous Materials Identification System  
 HSDB: Hazardous Substances Data Bank  
 IARC: International Agency for Research on Cancer  
 Inh: Inhalation  
 IUCLID: International Uniform Chemical Information Database  
 MA: Massachusetts  
 MN: Minnesota  
 MSHA: Mine Safety and Health Administration  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NFPA: National Fire Protection Association  
 NIOSH: National Institute of Occupational Safety and Health  
 NJ: New Jersey  
 NTP: National Toxicology Program  
 OSHA: Occupational Safety and Health Administration

Sulfuric Acid .12N

CR-0009

SDS Revision Date (mm/dd/yyyy): 10/28/2019

Page 11 of 11

## SAFETY DATA SHEET

PA: Pennsylvania  
 PEL: Permissible exposure limit  
 RCRA: Resource Conservation and Recovery Act  
 RI: Rhode Island  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

**References** : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.2. International Agency for Research on Cancer Monographs, searched 2019.3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb databases, 2019 (Chempendium, HSDB and RTECs).4. Safety Data Sheets from manufacturer.5. US EPA Title III List of Lists - June 2019 version.6. California Proposition 65 List - September 2019 version.7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2019.

**Preparation Date (mm/dd/yyyy)**

: 10/13/2015

**Reviewed Date SDS (dd/mm/yyyy)**

: 28/10/2019

**Revision No.**

: 2

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

|   |  |
|---|--|
| <p><b><u>Prepared for:</u></b><br/>         Lowry &amp; Associates, Div. of Chem-Aquascience, Inc.<br/>         5-1151 Gorham Street<br/>         Newmarket, ON L3Y 8Y1<br/> <a href="http://www.lowryassociates.ca">www.lowryassociates.ca</a></p> |  |
| <p><b><u>Prepared by:</u></b><br/>         ICC The Compliance Center Inc.<br/>         Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)<br/> <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>       |  |

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Lowry & Associates, Div. of Chem-Aquascience, Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Lowry & Associates, Div. of Chem-Aquascience, Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Lowry & Associates, Div. of Chem-Aquascience, Inc.

**END OF DOCUMENT**